

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
Before the Board of Patent Appeals and Interferences

In re Patent Application of

Atty Dkt. 540-161

TULLOCH et al

C# M#

Serial No. 09/437,226


Group Art Unit: 2829

Filed: November 10, 1999

Examiner: P. Patel

Date: April 11, 2003

Title: THERMOGRAPHIC WIRING INSPECTION



Assistant Commissioner for Patents
Washington, DC 20231

AP
700

Sir:

☐ Correspondence Address Indication Form Attached.

☐ **NOTICE OF APPEAL**

Applicant hereby appeals to the Board of Appeals from the decision dated _____ of the Examiner twice/finally rejecting claims _____ (\$ 320.00) \$

☒ An appeal **BRIEF** is attached in triplicate in the pending appeal of the above-identified application (\$ 320.00) \$ 320.00

☒ Credit for fees paid in prior appeal without decision on merits \$ (320.00)

☐ A reply brief is attached in triplicate under Rule 193(b) (no fee)

☐ Petition is hereby made to extend the current due date so as to cover the filing date of this paper and attachment(s) (\$110.00/1 month; \$410.00/2 months; \$930.00/3 months; \$1450.00/4 months) \$
SUBTOTAL \$ 0.00

☐ Applicant claims "Small entity" status, enter 1/2 of subtotal and subtract \$ ()
☐ "Small entity" statement attached.

SUBTOTAL \$ 0.00

Less month extension previously paid on \$ (0.00)

TOTAL FEE ENCLOSED \$ 0.00

Any future submission requiring an extension of time is hereby stated to include a petition for such time extension. The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our **Account No. 14-1140**. A duplicate copy of this sheet is attached.

1100 North Glebe Road, 8th Floor
Arlington, Virginia 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100
SCS:kmm

NIXON & VANDERHYE P.C.
By Atty: Stanley C. Spooner, Reg. No. 27,393

Signature: _____

RECEIVED
APR 15 2003
TECHNOLOGY CENTER 2800